	Application No.	Applicant(s)
Notice of Allowability	10/697,321	YOSHIDA ET AL.
	Examiner	Art Unit
	Toan M. Le	2863
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 7/7/06.		
2. The allowed claim(s) is/are <u>2-5,7-11,27-46 and 61-64.</u>		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		,
Attachment(s)		CALLE A CHICAGO (DYO 450)
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	 5.	ratent Application (PTO-152)
	Paper No./Mail Dat	ie
 Information Disclosure Statements (PTO-1449 or PTO/SB/0- Paper No./Mail Date 	8), 7. 🛛 Examiner's Amenda	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material .	9.	

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with William Mandir on 8/21/06.

Claim 27, line 2, replace "comprising" with -comprising the steps of-.

Allowable Subject Matter

Claims 2-5, 7-11, 27-46, and 61-64 are allowed.

Claims 2-5, 7-11, 27-46, and 61-64 are allowable over the prior art of record, none of the prior art whether together singularly or in combination to teach the claimed combination as recited. The closest reference "Far-End Calibrating and Transfer Device and Method", Sun Weiping et al. (TW 475181 A) does not teach or suggest the improvement of the instant application comprises converting means located at a standard authority and the calibrating means at a remote location, and the standard authority provides certification of the calibration as in claim 2; the standard authority performs the certification in accordance with the result of precise measurement involving uncertainty evaluation based on the calibration as in claim 10; a remote calibrating network for linking the standard authority and the remote place, wherein a confirmation of the calibration operation and a confirmation of the precision of the standard are performed by mutually monitoring identical standards retained by a plurality of authorities linked

Art Unit: 2863

to the remote calibrating network as in claims 11 and 34; performing certification, in accordance with the results of the calibration, wherein: the steps of converting a physical standard and performing certification are performed at a standard authority, and the steps of restoring the measuring reference and performing calibration are performed at a remote location as in claim 27; and using a physical standard generating means integrated with an optical communication path and transmitting the physical standard by the optical communication path to a calibrated authority at a remote place in which calibration is performed; performing calibration by restoring the transmitted physical standard in the calibrated authority; and transmitting a certification result, in accordance with the result of the calibration, from the authority to the calibrated authority by the communication means as in claim 46.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Toan M. Le whose telephone number is (571) 272-2276. The examiner can normally be reached on Monday through Friday from 9:00 A.M. to 5:30 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Barlow can be reached on (571) 272-2269. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information

Application/Control Number: 10/697,321

Art Unit: 2863

Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pairdirect.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Toan Le

August 21, 2006

BRYAN BUI PRIMARY EXAMINER

Page 4